

This certificate is granted and awarded by the authority of the Nadcap Management Council to:

OGMA Industria Aeronautica de Portugal S.A.

Parque Aeronautica de Alverca Alverca Do Ribatejo, 2615173 Portugal

This certificate demonstrates conformance and recognition of accreditation for specific services, as listed in www.eAuditNet.com on the Qualified Manufacturer's List (QML), to the revision in effect at the time of the audit for:

Composites

Certificate Number: 6177221176 Expiration Date: 31 August 2025 Accreditation Length: 18 Months

Jay Solomond

Executive Vice President & Chief Operating Officer



SCOPE OF ACCREDITATION

Composites

OGMA Industria Aeronautica de Portugal S.A.

Parque Aeronautica de Alverca Alverca Do Ribatejo, 2615173 Portugal

This certificate expiration is updated based on periodic audits. The current expiration date and scope of accreditation are listed at: www.eAuditNet.com - Online QML (Qualified Manufacturer Listing).

In recognition of the successful completion of the PRI evaluation process, accreditation is granted to this facility to perform the following:

AC7000 Rev A - AUDIT CRITERIA FOR NADCAP ACCREDITATION

AC7118 Rev I - Nadcap Audit Criteria for Composites (to be used on audits on/AFTER 31-Dec-2023)

- 14.2 NC Ply Cutting (Applies to CP, KSP, LRP, MB or PAR)
- 15.1.5 or 15.1.6 Complex Core Processing (Applies to CP only)
- 21.1 Autoclave (Applies to LRP, MB or PAR)
- 21.5 and 6 Press (Applies to LRP, MB or PAR)
- 22.2 NC Machining/Trimming/Drilling (Applies to CMP, LRP, MB or PAR)
- 23 Miscellaneous Bonding (Applies to CMP, LRP, MB or PAR)
- 24.1 or 2 or 3 Process Control Testing (AC7118) or AC7122–P (Applies to CP, CMP, LRP, MB or PAR)
- CP Core Processing
- PAR Prepreg/Adhesive Bonding/Resin Film Infusion

AC7122/1 Rev B - Nadcap Audit Criteria for Non Metallic Materials Testing – Mechanical

Testing

- 1.12.1 Climbing Drum Peel
- 1.13.1 Floating Roller Peel
- 1.2.1 Compression Ambient Temperature
- 1.2.2 Compression Non–ambient Temperature
- 1.23.1 Tube Shear
- 1.3.1 Shear Ambient Temperature by SBS
- 1.4.1 Flexural Ambient Temp
- 1.8.1 Double Lap Shear Ambient Temperature
- 1.8.2 Double Lap Shear Non–ambient Temperature
- 1.9.1 Single Lap Shear Ambient Temperature
- 1.9.2 Single Lap Shear Non–ambient Temperature

t-frm-0004 29-May-20

AC7122/2 Rev A - Nadcap Audit Criteria for Non Metallic Materials Testing – Physical Testing

- 2.1.3 Hardness Testing:Durometer
- 2.2.1 Density/ Specific Gravity
- 2.3.1 Resin/Fiber /Void Content by: Acid Digestion
- 2.3.2 Resin/Fiber /Void Content by: Burn off
- 2.3.3 Resin/Fiber /Void Content by: Solvent wash
- 2.5.1 Volatile Content
- 2.6.1 Gel Time
- 2.7.1 Flow
- 2.8.1 Fiber Areal Weight
- 2.8.2 Prepreg Areal/Adhesive Film Weight

AC7122/4 Rev A - Nadcap Audit Criteria for Non Metallic Materials Testing - Thermal Analysis

4.3.1 Differential Scanning Calorimetry (DSC)

AC7122-P Rev B - Nadcap Audit Criteria for Non Metallic Materials Testing – Laboratories P - Part Manufacturers Captive LaboratoriesPart manufacturer's captive testing laboratories (Only in conjunction with AC7118

Class A: Composites

Class B: Adhesive/Adhesive Primer

t-frm-0004 29-May-20